



# Compression clamp



## Distribution terminal blocks (Interconnected blocks)

| Wire size        | 22-10 AWG   | 22-10 AWG   | 22-8 AWG    | 22-8 AWG    | 22-6 AWG      | 22-6 AWG      |
|------------------|-------------|-------------|-------------|-------------|---------------|---------------|
| Spacing          | 6 mm        | 6 mm        | 8 mm        | 8 mm        | 10 mm         | 10 mm         |
| Type             | MB 4/6.L... | MB 4/6.P... | MB 6/8.L... | MB 6/8.P... | MB 10/10.L... | MB 10/10.P... |
| Current          | 20 A        | 20 A        | 50 A        | 50 A        | 65 A          | 65 A          |
| Color of block   | Grey        | ①           | Grey        | ①           | Grey          | ①             |
| Number of blocks |             |             |             |             |               |               |
| 2                | 0115 406.13 | 0165 420.26 | 0115 413.01 | 0165 427.11 | 0115 328.23   | 0165 343.04   |
| 3                | 0115 407.14 | 0165 421.13 | 0115 414.02 | 0165 428.22 | 0115 329.24   | 0165 344.05   |
| 4                | 0115 408.25 | 0165 422.14 | 0115 415.03 | 0165 429.23 | 0115 330.21   | 0165 345.06   |
| 5                | 0115 409.26 | 0165 423.15 | 0115 416.04 | 0165 430.20 | 0115 331.16   | 0165 346.07   |
| 6                | 0115 410.12 | 0165 424.16 | 0115 417.05 | 0165 431.15 | 0115 332.17   | 0165 347.00   |
| 8                | 0115 411.07 | 0165 425.17 | 0115 418.16 | 0165 432.16 | 0115 333.10   | 0165 348.11   |
| 10               | 0115 412.00 | 0165 426.10 | 0115 419.17 | 0165 433.17 | 0115 334.11   | 0165 349.12   |

## Single pole distribution blocks





| Block         | Input wire size   | Output wire size                             | Rated current | Part/number      | Jumper bar  |
|---------------|-------------------|--|---------------|------------------|---|
| <br>BRU 80 A  | 4 AWG             | 4 x 14-10 AWG                                | 80 A          | Grey 0356 208.25 |   |
| <br>BRU 125 A | 8-2 AWG           | 14-6 AWG                                     | 125 A         | Grey 0356 204.11 | 2 spades 0356 205.12 ②<br>8 spades 0356 206.13 ②                        |
| <br>BRU 160 A | 8-2/0 AWG         | 14-6 AWG                                     | 160 A         | Grey 0356 200.21 | 2 poles 0356 201.16 ③<br>3 poles 0356 202.17 ③<br>4 poles 0356 203.10 ③ |
| <br>BRU 250 A | 14-2 AWG          | 4 x 14-8 AWG<br>5 x 14-6 AWG<br>2 x 14-2 AWG | 230 A         | Grey 0179 657.15 |   |
| <br>BRU 400 A | 000 AWG - 350 MCM | 4 x 14-8 AWG<br>5 x 14-6 AWG<br>2 x 14-2 AWG | 310 A         | Grey 0179 650.22 |   |

① No electrical connection to rail. Alternate solid green and solid yellow.  
 ② Jumper bar.  
 ③ Bus bar.






# Compression clamp

## Three pole distribution blocks

| Block  | Input wire size     | Output wire size   | Rated current | Part/number |             |
|--|---------------------|--------------------|---------------|-------------|-------------|
| <br>BRT 115 A | <b>8-2</b><br>AWG   | 6 x 14 to 4<br>AWG | 115 A         | Grey        | 0356 209.26 |
| <br>BRT 175 A | <b>6-2/0</b><br>AWG | 6 x 14 to 4<br>AWG | 175 A         | Grey        | 0356 210.21 |



## Four pole distribution blocks

| Block  | Input wire size     | Output wire size             | Rated current | Part/number |             |
|--|---------------------|------------------------------|---------------|-------------|-------------|
| <br>BRT 80 A  | <b>8-6</b><br>AWG   | 8 x 8 AWG                    | 80 A          | Grey        | 0179 534.22 |
| <br>BRT 125 A | <b>8-2</b><br>AWG   | 4 x 6 AWG<br>7 x 8 AWG       | 125 A         | Grey        | 0179 535.23 |
| <br>BRT 160 A | <b>6-1/0</b><br>AWG | 3 x 10-2 AWG<br>8 x 14-6 AWG | 160 A         | Grey        | 0179 892.22 |





Publication  
No. 1SXU 160 005 B0201 (LV005)  
Printed in USA, October, 2004